CITIZEN Micro HumanTech

High spec, low budget Cost-effective tabletop printing



Packed with features

The CL-E720 table top printer is packed with features usually reserved for higher class machines. Designed and built for easy operation and service, it includes the proven Citizen ARCP[™] mechanism, which guarantees sharp, high quality print results.

Thanks to a built-in sensor and multilingual LCD, you'll always know when ribbons and media are due for a change. The CL-E720 is a highly reliable and cost-effective printer, perfect for medium to busy printing environments.



Environmentally friendly

Featuring an integrated Energy Star[®] power supply, the CL-E720 meets today's demand for green IT solutions. With super-low standby power consumption, it is one of the most energy efficient printers available.

www.citizen-systems.com

CITIZEN CL-E720 LABEL

Applications

• Shelf-Edge

Retail

- LogisticsCourier
- Textile

Warehousing

Card Tags



Space-Saving Design

The CL-E720 is ideal for tight spaces. Its Hi-Open[™] case lifts up vertically, so the printer's footprint doesn't change if the case is open.

With standard operations accessible from the front, this printer is designed for easy loading of media and simple maintenance operation.



Specifications

Printer, Head Warranty

Well connected

Featuring on board LAN & USB interfaces, the CL-E720 provides several options for field installation. You can also operate the printer remotely and adjust settings thanks to its LinkServer[™] management tool which enables you to connect to the printer instantly via a web browser.

-

CITIZEN CL-E720 LABEL

Features & Benefits

- Hi-Lift[™] mechanism for easy ribbon and media loading.
- Hi-Open[™] case for vertical opening, no increase in footprint and safe closing.
- Cross-Emulation[™]: Zebra[®] and Datamax[®] languages standard and automatically selected.
- Backlit LCD control panel for easy configuration.
- Front access for all operations inclu ding media and ribbon changing.
- Adjustable media sensor as standard with label gap and black mark sensing.
- Optional Wireless LAN interfaces and accessories such as peelers and cutters.



specifications	
Thermal Transfer/Direct Thermal	
203 dpi (8 dots per mm)	
8 inches per second (203 mm/s)	
4.1 inches (104 mm)	
0.5 inches to 4.65 inches (12.5 mm to 118 mm)	
0.0025 to 0.01 inches (0.0635 to 0.254 mm)	
Adjustable Gap & black mark sensors, Ribbon Near End Sensor	
0.25 inches to 158 inches (6.4 mm to 4013 mm, depending on emulation)	
Up to 8.0 inches (200mm) diameter. Core from 1 to 3 inches (25 - 75mm)	
USB 2.0 and 10/100 Ethernet	
Parallel IEEE1284, Serial RS232C, Premium Ethernet,	
Compact Wireless LAN, Premium Wireless LAN, both supporting 802.11b,g,n.	
2.9 inches (74mm) maximum diameter, 360 meter length, 1 inch core (25mm)	
Ink side in or out, automatically sensing. Wax, Wax/Resin or Resin Type	
Hi-Open [™] metal case with safe, soft-close feature.	
Hi-Lift [™] metal mechanism with wide opening head.	
Two-colour, backlit graphic LCD with four buttons and status LED.	
16MB Flash (User area 4MB), 32MB SDRAM (User area 4MB)	
Free-of-charge with printer, supporting Windows® 7, 8.1, 2008R2, 2012, Linux and many others.	
250 mm x 458 mm x 261 mm, 11 Kg	

All product names are trademarks of the respective manufacturers. Zebra[®] is a trademark of ZIH Corp. Datamax[®] is a trademark of Datamax-O'Neil Corporation. Designs, specifications and availability are subject to change without notice. Errors and omissions excluded.

2 Years for Printer; 50 Kms/6 months on head

CITIZEN SYSTEMS EUROPE GmbH

Otto-Hirsch-Brücken 17 • D-70329 Stuttgart Germany • Tel.: +49 (0)711 49032-0 • Fax: +49 (0)711 49032-45 • www.citizen-systems.com